


ZESTRON® HC

Precision cleaning medium for SMT adhesive removal



ZESTRON® HC is a modified alcohol-based cleaning agent designed to remove SMT adhesives from tools such as dispensing nozzles. ZESTRON® HC can also be used for the removal of solder particles and dust from pick & place nozzles. It is supplied in an aerosol can for easy manual application.

Areas of application



Advantages compared to other cleaners

- Reliably removes SMT adhesives from dispensing nozzles and tools.
- Dries fast and residue-free.
- ZESTRON® HC does not contain any halogenated compounds.
- The removable dispenser also allows easy cleaning of dispensing nozzles.
- Also applicable for the removal of solder particles and dust from pick & place nozzles.

Process Steps

Cleaning Process	1. Cleaning	2. Rinsing	3. Drying
Manual cleaning	ZESTRON® HC Spray parts evenly and let it soak for 10 - 30 sec.	ZESTRON® HC	Open air or clean, compressed air



ZESTRON® HC aerosol can



Cleaning of dispensing nozzles
with special adapter



Cleaning of adhesives on stencils
with ZESTRON® HC

Independent Test Center - Largest choice of leading machines, chemistry & analytics



Machine Test Center



Analytical Center

Visit our Machine Test Center and clean your maintenance parts under production conditions in cleaning machines of leading international equipment suppliers.

Contact ZESTRON's process engineers for cleaning trials:

Europe: +49 8453 41995 318; techsupport@zestron.com / South Asia: +604 (3996) 100; support@zestronasia.com

Technical Data

Density	(g/ccm) at 20°C/68°F	0.81
Surface tension	(mN/m) at 25°C/77°F	20.0
Boiling point*	°C/°F	56-120°C / 133-248°F
Flash point	°C/°F	-97°C / -142.6°F
pH value	10g/l H ₂ O	Inapplicable
Vapor pressure	(mbar) at 20°C/68°F	Approx. 113.4
Solubility in water		Soluble
Cleaning temperature	°C/°F	Room temperature
Application concentration	Ready-to-use	Pure
HMIS Rating	Health-Flammability-Reactivity	1 - 4 - 0

*Boiling point is of the active chemistry in ZESTRON® HC only, and does not include aerosol propellants

Product Features & Cleaning Standards



100% compliance with EU guidelines
(RoHS 1, 2 & 3, WEEE)



Product is free of any critical substances according to
SIN & SVHC lists

Environmental, health & safety regulations

- ZESTRON® HC is biodegradable.
- Refer to the SDS for specific handling precautions and instructions.

Availability & Storage

300 ml	✓
5 Liter	-
25 Liter	-
200 Liter	-

- ZESTRON® HC is available as an easy-to-use aerosol can with a special adapter for the cleaning dispensing nozzles.
- Store ZESTRON® HC in the original can at a temperature between 5 - 30°C / 41 - 86°F.
- The product has a minimum shelf life of 5 years in factory sealed containers.



Further product information

Material Compatibility

Please review the Material Compatibility overview before using the cleaning agent.

Safety Data Sheet

Alternative Products



VIGON® SC 210:

- For cleaning in ultrasonic equipment we recommend VIGON® SC 210.



VIGON® EFM:

- For manual flux removal, we recommend VIGON® EFM